


TECHNICAL DATA SHEET

Basic Information:

Synonyms: Butylated reaction product of p-cresol and DCPD[dicyclopentadiene]

CAS No. 68610-51-5



Properties:

Property	Specification
Appearance	Free flowing White Powder or flakes
Melting Point	115 °C
Bulk Density – Flake	34.5 lb/ft ³
– Powder	27.3 lb/ft ³
Specific Gravity	1.1
Ash %	0.10 max

Application:

RCPL ANTOX- L is a highly effective polyphenolic additive with high activity and very low volatility. RCPL ANTOX- L is non-discoloring and non-pinking.

RCPL ANTOX- L is especially recommended for the protection of natural and synthetic polymers based on isoprene and butadiene chemistry.

RCPL ANTOX- L is ideally suited for the protection of light-colored, non-staining goods derived from natural rubber and latex. SBR and carboxylated SBR lattices, ABS, NBR, BR, SBS and SIS in applications where the retention of appearance and elastic properties during storage and use are important requirements.

RCPL ANTOX- L applications include in-process stabilization of polymers as well as use in manufactured goods such as elastic thread, carpet backing, foam rubber mattresses, household and surgical gloves, medical products baby bottle, nipples bath mats, hot water bottles, automotive components, household appliances (gaskets, liners, parts, housing, etc), electronic appliance housings, and paper coatings.

Shelf Life:

One year if stored in a cool, dark place in an air tight sealed container.

Packaging:

In 25 Kgs. Papers bags.